

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		"132" and @ad<"19981222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 16:08
		(face adj2 up with face adj2 down ascend\$5 with descend\$5)) with transparenc\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 14:48
		(print\$5 adj3 (setting\$5 attribut\$5 parameter\$5 driver\$5 user adj2 interface)) same ((face adj2 up with face adj2 down ascend\$5 with descend\$5)) same transparenc\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 14:16
		(print\$5 adj2 driver\$5 user\$5 adj2 interfac\$5) same (ascend\$5 near6 descend\$5 face adj2 up near6 face adj2 down order\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 13:48
		print\$5 adj2 setting\$5 with (ascend\$5 with descend\$5) and driver\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 12:11
L6	2	("5442732").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/11 13:21
L7	2	("6104498").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/11 13:21
L8	0	("jp-10224540-\$did.").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/11 15:35
L9	2	jp-10224540-\$did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 16:23

L10	15242	(358/1.1, 358/1.9-1.16).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 16:24
L11	9	(print\$5 adj2 (dialog\$5 driver\$5)) same face adj2 up same face adj2 down	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 16:25
L12	4	10 and 11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 16:25
S1	14	((("5781842") or ("5642205") or ("5918088") or ("6301013") or ("5881212") or ("6654136") or ("6362892")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 15:26
S2	2	("6765685").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 11:38
S3	1	"5749024".PN.	USPAT; USOCR	OR	ON	2005/01/10 11:41
S4	1	"5695183".PN.	USPAT; USOCR	OR	ON	2005/01/10 11:41
S5	1	"5481353".PN.	USPAT; USOCR	OR	ON	2005/01/10 11:41
S6	1	"5442732".PN.	USPAT; USOCR	OR	ON	2005/01/10 11:42
S7	1	"5353388".PN.	USPAT; USOCR	OR	ON	2005/01/10 11:43
S8	2	("5481353").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 11:48
S9	14	("5481353").URPN.	USPAT	OR	ON	2005/01/10 11:48
S10	10	("4609282" "4873547" "5337161" "5457524" "5481353" "5722029" "5781842" "5832337" "6026258" "6469810").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/10 11:49

S11	56	(ascend\$5 with descend\$5) adj4 print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 12:03
S12	3	print\$5 with (ascend\$5 with descend\$5) with (driver\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 12:08
S13	1	JP-11345107-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 12:07
S14	14	print\$5 same (ascend\$5 same descend\$5) same (driver\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 12:10
S15	11	S14 not S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 12:09
S16	1035	print\$5 same (ascend\$5 same descend\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 12:10
S17	474	print\$5 with (ascend\$5 with descend\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 12:10
S18	126	print\$5 with (ascend\$5 with descend\$5) and driver\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 12:11
S19	91	S18 and @ad<"19981222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 13:48
S20	4	print\$5 adj2 setting\$5 with (ascend\$5 with descend\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 12:12

S21	3	(print\$5 adj2 driver\$5) with ascend\$5 near4 descend\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 13:36
S22	0	ascend\$5 near4 descend\$5 adj4 print\$5 with (user\$5 adj2 interfac\$5 driver\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 13:37
S23	2	print\$5 with (ascend\$5 near6 descend\$5 face adj4 up with face adj4 down) with (user\$5 adj2 interface\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 13:41
S24	6	(ascend\$5 near6 descend\$5 face adj4 up with face adj4 down) with (user\$5 adj2 interface\$5) same print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 13:43
S25	0	(faceup with facedown) with print\$5 with user adj2 interface\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 13:43
S26	0	print\$ adj2 setting\$5 with face adj2 up with face adj2 down	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 13:44
S27	2	print\$ adj2 setting\$5 with (ascend\$5 near4 descend\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 13:44
S28	35	(print\$5 adj2 driver\$5 user\$5 adj2 interfac\$5) same (ascend\$5 near6 descend\$5 face adj2 up near6 face adj2 down order\$5) same transparenc\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 13:48
S29	4	S28 and @ad<"19981222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 14:43
S30	0	print\$5 adj2 driver\$5 with transparenc\$5 with order\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 13:59

S31	0	(print\$5 adj3 (setting\$5 attribut\$5 parameter\$5 driver\$5 user adj2 interface)) same ((face adj2 up with face adj2 down ascend\$5 with descend\$5)) same transparenc\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 14:23
S32	87	(print\$5 adj3 (setting\$5 attribut\$5 parameter\$5 driver\$5 user adj2 interface)) and ((face adj2 up with face adj2 down ascend\$5 with descend\$5)) and transparenc\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 14:48
S33	33	S32 and @ad<"19981222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 14:50
S34	620	printer\$5 adj2 driver\$ with order\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 14:45
S35	0	print\$5 adj2 dialog\$5 same ((face adj2 up with face adj2 down ascend\$5 with descend\$5)) same transparenc\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 14:46
S36	5	print\$5 adj2 dialog\$5 same transparenc\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 14:52
S37	4	((face adj2 up with face adj2 down ascend\$5 with descend\$5)) with transparenc\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 14:49
S38	36	(print\$5 adj2 (dialog\$5 driver\$5)) with (transparenc\$5 ohp\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 14:51
S39	5	S38 and @ad<"19981222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 15:33
S40	108	(print\$5 adj2 (dialog\$5 driver\$5)) same (transparenc\$5 ohp\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 16:24

S41	0	print\$5 adj2 dialog\$5 same ohp\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 14:51
S42	22	print\$5 adj2 (setting\$5 attribut\$5 paramter\$5) with transparenc\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 15:13
S43	4	((("5124731") or ("5442732")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 15:13
S44	2	("5669040").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 15:27
S45	2	("5909602").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 15:28
S46	740	(print\$5 adj2 (dialog\$5 driver\$5 setting\$5)) with (print\$5 adj2 order\$5 separat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 15:32
S47	1504	(print\$5 adj2 (dialog\$5 driver\$5 setting\$5)) with (order\$5 separat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 15:34
S48	67	(print\$5 adj2 (dialog\$5 driver\$5 setting\$5)) with (order\$5 adj3 setting\$5 separat\$5 adj2 setting\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 15:33
S49	15	S48 and @ad<"19981222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 15:59
S50	13	(print\$5 adj2 (dialog\$5 driver\$5 setting\$5)) with (ascend\$5 descend\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 15:36

S51	18401	(print\$5 adj2 (dialog\$5 driver\$5 setting\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 15:36
S52	59011	(ascend\$5 with descend\$5) or (face adj2 up face adj2 down)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 15:37
S53	33	S51 same S52	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 15:37
S54	10251	(ohp\$2 transparenc\$5) same (insert\$5 separat\$5 interleav\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 15:38
S55	2	S53 and S54	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 15:38
S56	10	("5076560" "5078379" "5119213" "5374049" "5449163" "5530790" "5579083" "5839841" "5954436" "6151478").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/10 15:40
S57	137	(print\$5 adj2 (dialog\$5 driver\$5)) with (interleav\$5 insert\$5)	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/10 15:41
S58	4	(print\$5 adj2 (dialog\$5 driver\$5)) with (interleav\$5 insert\$5) same (ohp\$5 transparenc\$5)	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/10 15:52
S59	10	("4609282" "4873547" "5337161" "5457524" "5481353" "5722029" "5781842" "5832337" "6026258" "6469810").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/10 15:51
S60	8	(print\$5 adj2 (dialog\$5 driver\$5)) same (interleav\$5 insert\$5) same (ohp\$5 transparenc\$5)	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/10 15:57
S61	4	S60 not S58	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/10 15:54

S62	2	("6707568").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 15:54
S63	4	("5559933" "5749024" "5754743" "5838317").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/10 15:55
S64	14	(print\$5 adj2 (dialog\$5 driver\$5)) and (interleav\$5 insert\$5) adj4 (ohp\$5 transparenc\$5)	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/10 16:02
S65	104	(print\$5 adj2 (dialog\$5 driver\$5)) same (ohp\$5 transparenc\$5)	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/10 15:59
S66	18	S65 and @ad<"19981222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 16:02
S67	520	(interleav\$5 insert\$5) adj4 (ohp\$5 transparenc\$5)	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/10 16:05
S68	292	S67 and @ad<"19981222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 18:21
S69	0	(interleav\$5 insert\$5) adj4 (ohp\$5 transparenc\$5) same host adj2 computer\$5	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/10 16:05
S70	0	(interleav\$5 insert\$5) adj4 (ohp\$5 transparenc\$5) same (host\$2 client\$2) adj2 computer\$5	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/10 16:05
S71	0	(interleav\$5 insert\$5) adj4 (ohp\$5 transparenc\$5) same (user\$5 adj2 interface\$4)	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/10 16:06
S72	1	(interleav\$5 insert\$5) near4 (ohp\$5 transparenc\$5) same (user\$5 adj2 interface\$4)	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/10 16:06
S73	3	(interleav\$5 insert\$5) with (ohp\$5 transparenc\$5) same (user\$5 adj2 interface\$4)	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/10 16:07
S74	132	(printer\$5 near4 (driver\$5 dialog\$5 setting\$5)) same (ohp\$2 transparenc\$5)	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/10 16:13

S75	26	S74 and @ad<"19981222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 16:12
S76	2	(printer\$5 near4 (driver\$5 dialog\$5 setting\$5)) with (transparenc\$5) with (insert\$5 interleav\$5)	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/10 16:13
S77	8	("4681428" "5316279" "5337135" "5353388" "5442732" "5481353" "5695183" "5749024").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/10 16:17
S78	34	(print\$5 adj2 (dialog\$5 driver\$5)) with (transparenc\$5 ohp\$2)	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/10 18:24
S79	4	S78 and @ad<"19981222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 18:24
S80	137	(print\$5 adj2 (dialog\$5 driver\$5)) with (insert\$5 interleav\$5)	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/10 18:26
S81	51	S80 and @ad<"19981222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 18:27
S82	118	(print\$5 adj2 (dialog\$5 driver\$5)) same (insert\$5 interleav\$5) same (paper\$5 ohp\$5 transparenc\$5 medium\$5 media\$5)	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/10 18:27
S83	34	S82 and @ad<"19981222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 18:28